



## **VERSA 06**

## FTIR ANALYSIS SYSTEM

Based on our extensive experience with FTIR technology, the IAG-nG VERSA06 is a reliable and service friendly measurement system with high precision and stability. User friendliness, highly dynamic, conditioned gas flow, simplified maintenance and the flexibility of the modular IAG-nG design are important advantages of the VERSA06 exhaust analysis systems.

The IAG-nG VERSA06 provides for high uptime and low operating costs, optimizing your total cost of ownership. Based on our years of experience in conditioning sample gases, one of the VERSA06's greatest strengths is its ability to measure difficult to detect gas components such as NH3.





**IAG-ng** inlet valve







## **VFS / PRE-FILTER SYSTEM**

The IAG-nG VERSA06 can be combined with any IAG-nG sampling modules. The options here extend from a simple heated line delivering the sample, to extensive multiple extraction systems with high pressure regulators, switching units and high temperature sample lines. All sampling modules are remotely controlled by the measurement device itself and are displayed in the device software. Every parameter such as temperature and switching status for the entire system can be configured and operated from a central location.











PRODUCT BROCHURE



IAG-ng.INC 41216 BRIDGE ST. NOVI, MI 48375 USA

+1 (248) 508-4886 r.frazee@iag-ng.com www.iag-ng.com



GAS ANALYTICS GMBH INDUSTRIESTRASSE 322 WEIKERSDORF AUSTRIA A-2722

+43 2622 41712/0 office@iag-ng.at www.iag-ng.com

